

**To:** Naranjo, Eugenia[Naranjo.Eugenia@epa.gov]; Warner, Len[lwarner@louisberger.com];  
AccardiDey, AmyMarie[aaccardidey@louisberger.com]  
**Cc:** Brian Mikucki[bmikucki@tierrasolutionsinc.com]; Franklin, Elizabeth A  
NWK[Elizabeth.A.Franklin@usace.army.mil]  
**From:** Clifford Firstenberg  
**Sent:** Thur 10/13/2016 3:53:56 PM  
**Subject:** RE: NB Phase III SI Working Schedule  
removed.txt

Thanks Eugenia – much appreciated!

-


---

Clifford E. Firstenberg  
Principal and Environmental Sciences Manager  
Tierra Solutions, Inc.

E-mail: [cfirstenberg@tierrasolutionsinc.com](mailto:cfirstenberg@tierrasolutionsinc.com)

Phone: ***New number: 757-282-6462 (757-258-7720 no longer in service)***

Cell: 757-206-6281



## CONFIDENTIALITY NOTICE...

The information in this email may be confidential and/or privileged. This email is intended to be reviewed by only the individual or organization named above. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein is prohibited. If you have

received this email in error, please immediately notify the sender by return email and delete this email from your system.

*Thank You.*

**From:** Naranjo, Eugenia [mailto:Naranjo.Eugenia@epa.gov]  
**Sent:** Thursday, October 13, 2016 11:53 AM  
**To:** Clifford Firstenberg <cfirstenberg@tierrasolutionsinc.com>; Warner, Len <lwarner@louisberger.com>; AccardiDey, AmyMarie <aaccardidey@louisberger.com>  
**Cc:** Brian Mikucki <bmikucki@tierrasolutionsinc.com>; Franklin, Elizabeth A NWK <Elizabeth.A.Franklin@usace.army.mil>  
**Subject:** RE: NB Phase III SI Working Schedule

Yes approved! and I apologize for sending this just now.

Item #1: It's acceptable to change the LCS recovery to 60-120%. Regarding Brian's second question, split samples are not analyzed for TPH because it is not a CERCLA risk driver.

Item #2: : It's acceptable to change the frequency of the pesticide "second source standard" from every 12-hours to the initial calibration curve.

**From:** Clifford Firstenberg [mailto:cfirstenberg@tierrasolutionsinc.com]  
**Sent:** Thursday, October 13, 2016 11:48 AM  
**To:** Naranjo, Eugenia <Naranjo.Eugenia@epa.gov>; Warner, Len <lwarner@louisberger.com>; AccardiDey, AmyMarie <aaccardidey@louisberger.com>  
**Cc:** Brian Mikucki <bmikucki@tierrasolutionsinc.com>  
**Subject:** RE: NB Phase III SI Working Schedule

Thanks for the info and yes, we're all set for Monday.

We discussed with LBG the two lab questions and are waiting for your official approval for those changes. Any chance you can provide that even though you're at Montclair today?

Thanks

Cliff

-

---

Clifford E. Firstenberg


Principal and Environmental Sciences Manager

Tierra Solutions, Inc.

E-mail: [cfirstenberg@tierrasolutionsinc.com](mailto:cfirstenberg@tierrasolutionsinc.com)

Phone: ***New number: 757-282-6462 (757-258-7720 no longer in service)***

Cell: 757-206-6281



## **CONFIDENTIALITY NOTICE...**

The information in this email may be confidential and/or privileged. This email is intended to be reviewed by only the individual or organization named above. If you are

not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system.

*Thank You.*

**From:** Naranjo, Eugenia [<mailto:Naranjo.Eugenia@epa.gov>]  
**Sent:** Thursday, October 13, 2016 11:46 AM  
**To:** Clifford Firstenberg <[cfirstenberg@tierrasolutionsinc.com](mailto:cfirstenberg@tierrasolutionsinc.com)>; Warner, Len <[lwarner@louisberger.com](mailto:lwarner@louisberger.com)>; AccardiDey, AmyMarie <[aaccardidey@louisberger.com](mailto:aaccardidey@louisberger.com)>  
**Cc:** Brian Mikucki <[bmikucki@tierrasolutionsinc.com](mailto:bmikucki@tierrasolutionsinc.com)>  
**Subject:** RE: NB Phase III SI Working Schedule

Thank you Cliff. I assume you're all set and ready to start sampling next week, let me/us know if you need anything and feel free to call at any time. I will be going on a site visit to the Riverside Superfund Site next week or the week after, so I'll probably stop by Lister to watch the processing --I'll let you know when -- need to check calendar and weather (I can't remember whether I mentioned to you that Elizabeth Butler got a temporary promotion in the RCRA program so I'm babysitting Riverside while she's on assignment).

I'm at the Passaic River Symposium today and tomorrow. Thanks,

eugenia

**From:** Clifford Firstenberg [<mailto:cfirstenberg@tierrasolutionsinc.com>]  
**Sent:** Thursday, October 13, 2016 9:49 AM  
**To:** Warner, Len <[lwarner@louisberger.com](mailto:lwarner@louisberger.com)>; AccardiDey, AmyMarie <[aaccardidey@louisberger.com](mailto:aaccardidey@louisberger.com)>  
**Cc:** Naranjo, Eugenia <[Naranjo.Eugenia@epa.gov](mailto:Naranjo.Eugenia@epa.gov)>; Brian Mikucki <[bmikucki@tierrasolutionsinc.com](mailto:bmikucki@tierrasolutionsinc.com)>  
**Subject:** RE: NB Phase III SI Working Schedule

Mistake – “0745” for the Tailgate should have been “0645.” The attached is correct.

-

---

Clifford E. Firstenberg


Principal and Environmental Sciences Manager

Tierra Solutions, Inc.

E-mail: [cfirstenberg@tierrasolutionsinc.com](mailto:cfirstenberg@tierrasolutionsinc.com)

Phone: ***New number: 757-282-6462 (757-258-7720 no longer in service)***

Cell: 757-206-6281



### **CONFIDENTIALITY NOTICE...**

The information in this email may be confidential and/or privileged. This email is intended to be reviewed by only the individual or organization named above. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system.

*Thank You.*

**From:** Clifford Firstenberg  
**Sent:** Thursday, October 13, 2016 9:43 AM  
**To:** Warner, Len <[lwerner@louisberger.com](mailto:lwerner@louisberger.com)>; AccardiDey, AmyMarie <[aaccardidey@louisberger.com](mailto:aaccardidey@louisberger.com)>  
**Cc:** 'Naranjo, Eugenia' <[Naranjo.Eugenia@epa.gov](mailto:Naranjo.Eugenia@epa.gov)>; Brian Mikucki <[bmikucki@tierrasolutionsinc.com](mailto:bmikucki@tierrasolutionsinc.com)>  
**Subject:** NB Phase III SI Working Schedule

As we discussed this morning, please find attached the working schedule for sample collection. This will, of course, likely change as the program gets under way.

Let me know if you have any questions.

Thanks

Cliff

-


---

Clifford E. Firstenberg  
Principal and Environmental Sciences Manager  
Tierra Solutions, Inc.

E-mail: [cfirstenberg@tierrasolutionsinc.com](mailto:cfirstenberg@tierrasolutionsinc.com)

Phone: ***New number: 757-282-6462 (757-258-7720 no longer in service)***

Cell: 757-206-6281

**CONFIDENTIALITY NOTICE...**

The information in this email may be confidential and/or privileged. This email is intended to be reviewed by only the individual or organization named above. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system.

*Thank You.*